DON'T SAY IT --- Write It!

DATE:September 3, 1997.

TO: Jeanne Wallace

B5-18

FROM: Ellen Mattlin (1)

A5-15

Telephone: 376-2385

cc:	D. H.	Chapin	R3-79
	T. A.	Dillhoff	N2-57
	S.K.	Johansen	A4-35
	F. A.	Ruck III	H6-23
	J. C.	Sonnichse	en H6-26
	Admin	istrative	Record H6-08

SUBJECT:

3718-F Alkali Metal Treatment and Storage Facility Data Evaluation and Recommendations Report

A copy of the final draft data evaluation and recommendations report is attached. This report includes a summary of the analytical results obtained for all soil sampling conducted at the 3718-F. Alkali Metal Treatment and Storage Facility. A copy of the data validation package is provided as Appendix C. As discussed in the report, the raw analytical data is retained by Waste Management Federal Services of Hanford and is available upon request.

If you have any questions please don't hesitate to call me. Thank you for your attention.

Attachment: Draft; HNF-SD-ENV-ER-002, Rev.O



THIS PAGE INTENTIONALLY LEFT BLANK



APP A-2

HNF-SD-ENV-ER-002, Rev. 0 DRAFT

	- f ·		等 (2.7 a)	CONTENTS	2						
1.0	INTRODUCTION		• • •			. • . • • •	, • · •		• •	• . • . •	- <u>-</u>
2.0	SAMPLING		· • • • • • •		f Alares						چ
3.0	ACTION LEVEL	s								• • • •	# 1 .
4.0	ANALYSIS					• • ,	• •		• • ,		
5.0	DATA VALIDAT	ION			• • •		•		• •		!
6.0	FIELD QUALIT	Y CONTROL I	RESULTS		• • •				• • •		į
7.0	DATA EVALUAT	ION			,			• •			. (
8.0	CONCLUSIONS							: .	•,•	• •	(
9.0	REFERENCES .			·							7
	• •				.c			•			
		•	А	PPENDICE	.5		•	•		3	
A	INFORMATION	REGÁRDING	POLYCHL	ORINATED	BIPHE	YLS I	N 37	18-F	SOIL	* *** *** *	
B .	SAMPLES FIELD NOTES VALIDATED DA				• • •	• • •	• •	• •	• • •	APP APP APP	B-1
. •		•		• •						•	
	• •	•		FIGURE	•			7	.*	784° 	
1. 5	Soil Sampling	Locations			• • •		. •				
· :		. •	Ÿ					•	•	1	
				•			:	. =		m² 	
				TABLES	• .	••	:	• "		*	
	Soil Sampling	Results fo	r_Const	ituents	of Conc	ern .					. 2
A-1.	Concentration for 3718-F	on of Polyc TSF Soil Sa	hlorina mples .	ted Biph	enyls (Arocl	or 17	254)		APP	A-2

LIST OF TERMS

3718-F TSF	3718-F Alkali Metal Treatment and Storage Facility
^ DOE	U.S. Department of Energy
Ecology	Washington State Department of Ecology
EPA	U.S. Environmental Protection Agency
HEIS	Hanford Environmental Information System
HF	Hanford Facility
ICP	Inductively Coupled Plasma
IRIS	Integrated Risk Information System
MTCA	Model Toxics Control Act
NIOSH	National Institute for Occupational Safety and Health
PCB	polychlorinated biphenyl
RCRA	Resource Conservation and Recovery Act
RTECS	Registry of Toxic Effects of Chemical Substances
TSD	treatment, storage, and disposal
WAC	Washington Administrative Code

20 647

Fall Come of England Frances

5 7 8

12 13 14 15 16 17

18

19

11

20 21 22 23

24

25 26

31 32 33 34

35

35 37 38 39 40

41

42-43

45 46 47

52

3718-F ALKALI METAL TREATMENT AND STORAGE FACILITY SOIL SAMPLING DATA EVALUATION REPORT

1.0 INTRODUCTION

This report provides a summary of the soil sampling and analysis performed in support of closing the 3718-F Alkali Metal Treatment and Storage Facility (3718-F TSF) and recommends that this waste treatment and storage unit be clean closed. Specifically, this report addresses Hanford Facility (HF) Sitewide RCRA Permit Condition (Permit Condition V.13.B.1);

"The Department will consider removal and decontamination complete when the concentrations of dangerous waste, dangerous waste constituents, and dangerous waste residues, which originated from the 3718-F Alkali Metal Treatment and Storage Facility, throughout the areas affected by releases from this unit do not exceed numeric cleanup levels for soils, groundwater, surface water, and air, determined using residential exposure assumptions according to the MTCA, Method A or B."

The recommendation for closure is based on the analytical results for the constituents of concern defined in the unit closure plan (DOE 1995) for the soil sampling matrix defined in the unit sampling and analysis plan (BEA) 1997). An analytical results package is attached and includes: information regarding polychlorinated biphenyl analysis (Appendix A); a copy of the field notes (Appendix B); and the data validation package (Appendix C). data package is retained by Waste Management Federal Services of Hanford (Sample Management Group). A copy of the raw data package is available upon request.

1.1 SUMMARY OF RESULTS

To meet the criteria for clean closure at the 3718-F TSF, the analytical results must verify that the concentrations of the treatment residue in the soil is equal or below the action levels specified in the HF RCRA Permit Conditions. These conditions have been quantified in the sampling and analysis plan (HNF 1997) and are discussed in Section 3.0. As shown in Table I, the measured concentrations for all soil samples are well below the action levels.

44 1.2 REGULATORY BACKGROUND

The 3718-F TSF is classified as a Resource Conservation and Recovery Act. (RCRA) Treatment, Storage and Disposal Facility. The unit is regulated by the Washington State Department of Ecology in accordance with WAC 173-303, "Dangerous Waste Regulations." A plan for closure of this unit was included in the HF Sitewide RCRA Permit, Revision 3, on December 26, 1996.

Table 1. Soil Sampling Results for Constituents of Concern Soil Sampling and Analysis Plan (HNF-DS-ENV-AP-004, Rev.0)

		Constituent Concentration				
Location	Sample #	Sodium	Lithium_	Potassium		
Northeast corner of pad	BOJHZ4	175 mg/kg	9.1 mg/kg	1020 mg/kg		
Northeast corner of pad (duplicate)	војнит	174 mg/kg	9.6 mg/kg	942 mg/kg		
Drain sump	BOJHZ5	531 mg/kg	29.0 mg/kg	746 mg/kg		
Concrete pad midpoint	BOJHZ6	194 mg/kg	33.1 mg/kg	1050 mg/kg		
Concrete pad midpoint (duplicate)	BOJHZ8	218 mg/kg	30.3 mg/kg	1360 mg/kg		
ACTION LEVEL (HFN 1997)		1390 mg/kg	37 mg/kg	3090 mg/kg		


2.0 SAMPLING

Soil sampling was performed on April 24, 1997. As discussed in the sampling and analysis plan, a phased approach was applied. Phase I consisted of collecting a limited number of soil samples to determine whether dangerous waste that had resulted from the operations of the facility was released to the soil column. If Phase I samples had indicated that contaminants of concern are present above cleanup levels, the sampling and analysis plan would have been revised to include a second phase of sampling, which would address the full nature and extent of soil contamination. Under Phase I, soil samples were collected from three locations representative of possible contamination pathways. Split samples were collected and provided to the Department of Ecology (Ecology) for independent analysis. Duplicate samples were collected at two of the three locations. A field blank was also collected. A copy of the field notes compiled during the collection of these samples is provided as Appendix B.

2.1 SAMPLE LOCATIONS

A description of the soil sampling locations is provided in the sampling and analysis plan (HNF 1997). The soil sampling locations are provided in Figure 1.

,36



DESCRIPTION OF SAMPLING LOCATIONS

Two sample locations are at the northeast corner of the concrete pad. One of these locations (location 1) is in the soil next to the process sewer drain and the second (location 2) is at the bottom of the separator drain sump, which is located approximately 3 meters (9 feet) south of the northeast corner. A third sample location (location 3) is near the mid-point of the concrete pad, which is directly south of the expansion joint that runs east/west. All samples will be collected at a sample interval from 15 centimeters (6 inches) to 46 centimeters (18 inches). Two duplicate soil samples will be collected; one at the northeast corner and the other at sample location 3. All material placed in the sample container will be less than 12 millimeters (0.5 inches) in diameter.

Figure 1. Soil Sampling Locations.

8

10

11 12

13

2.2 FIELD SAMPLING

26.

40.

48: 49.

As proposed in the sampling and analysis plan, soil samples were collected from three locations. Referring to Figure 1, location 1 is in the soil next to the process sewer drain. Location 2 is at the bottom of the separator drain sump, which is located a few feet south of the northeast corner. Location 3 is near the mid-point of the concrete pad, which is just south of the expansion joint that runs east/west. Samples were collected at a depth of 15 cm to 46 cm below ground surface at locations 1 and 3. A metal plate welded on to the bottom of the sump prevented sample collection over a 30 cm interval at location 2. A field decision was made to collect the sample from the 15 to 20 cm of material present at the bottom of the sump above the metal plate. All cognizant field personnel representing Ecology, the Department of Energy, and contractor personnel agreed to the change.

Duplicate samples were collected at locations 1 and 3 in accordance with the Sampling and Analysis Plan. An equipment blank consisting of a deionized water rinse of sampling equipment was also collected.

Each sample was assigned a sample number by the Hanford Environmental Information System (HEIS). The following HEIS numbers were assigned; the primary soil sample at Sample Location #1 (BOJHZ4), the co-located duplicate sample at Sample Location #1 (BOJHZ7), the soil sample at Sample Location #2 (bottom of the sump) (BOJHZ5), the primary soil sample at Sample Location #3 (BOJHZ6), and the co-located duplicate sample at sample Location #3 (BOJHZ8). The field blank (water blank) was assigned a sample number (BOJHZ9).

Each soil sample was collected using clean hand tools. Each sample was labeled. The samples were sent to Quanterra Environmental Services, an Ecology approved laboratory. The samples were received by Quanterra, Richland and were transferred to Quanterra, St. Louis, for chemical analysis. All samples were analyzed using EPA Method 6010 within the holding times specified in the plan.

3.0 ACTION LEVELS

Action levels are defined in the sampling and analysis plan (HNF 1997), and are summarized in Table 1. The action levels were established in accordance with the residential exposure requirements provided in MTCA (WAC 173-340) Methods A or B (see amendment V.13.B.1) or use of a natural background concentration as specified in WAC 173-340-700(4)(d).

4.0 ANALYSIS

As stated in Section 1.1 and tabulated in Table 1, the concentration for all constituents of concern at all locations were measured in the laboratory to be well below the soil cleanup levels or action levels. The final analytical data package that included a description of the analytical results, analytical methods, quality control, and general comments as deemed

appropriate was received on July 24, 1997. The range in sodium concentration for the five soil samples varied from 174 mg/kg to 531 mg/kg. The range in total lithium varied from 9.1 to 33 mg/kg. The range in total potassium varied from 746 mg/kg to 1360 mg/kg. For all three metals, the range of concentration tends to be at the low end of the background concentrations, i.c., discussed previously in Section 3.0.

5.0 DATA VALIDATION

The data package was validated by Golder Associates in accordance with Chapter 8.0 of Data Validation Procedures for Chemical Analyses. Level D validation was conducted. Level D validation for Inductively Coupled Plasma (ICP) metals consists of the following:

- Verification of required deliverables
- Verification of requested versus reported analyses
- Verification of lack of transcription errors
- Evaluation and quantification of results based on:
 - analytical holding times
 - matrix spikes
 - laboratory control samples

 - laboratory duplicatesanalytical method blanks
 - matrix spike recoveries
 - initial and continuing instrument calibrations
 - calculation checks.

The data validation package was received on August 11, 1997, and is attached as Appendix C. As stated in the data validation package, a total of six samples were validated with a total of eighteen determinations reported. All determinations were deemed valid. No major deficiencies were identified 39 during the data validation process. A minor deficiency was identified - 40 resulting in qualification of data. Sodium was detected in the preparation blank for sample BOJHZ9 and qualifies the associated result for sodium as nondetect. All sample results are considered acceptable for decision-making purposes."

6.0 FIELD QUALITY CONTROL RESULTS

Two duplicate samples and an equipment blank were collected in the field. A description of the sampling method is included in the field notes and is provided in Appendix B.

8 9

10 11 12

13

14 15

16

17 18

19 20 .

21 22

23 24

25 26

27

28 29

30 31

32 33

34 35

36

37 38

41 42

43

48 49 50

51

As shown in Table 1, the results for the duplicate samples taken at sample locations 1 and 3 are within the 35 % Relative Percent Difference precision criteria applied in data validation of metals results for soil samples.

Sodium was initially detected in the equipment blank. However, during data validation, this result was qualified "U" (non-detect) because of the detection of sodium in the preparation blank for this sample. Detection of sodium in the preparation blank indicates that the sodium that was detected in the equipment blank was the result of laboratory contamination rather than field contamination. This indicates that the soil samples appear unaffected by the sampling equipment.

7.0 DATA EVALUATION

The sampling and analysis plan (HNF 1997), defined the approach that was used for comparing the concentration of dangerous waste, that originated from the operation of the 3718-F TSF with assigned health based action levels. The action levels for the constituents of concern are discussed in Section "3.0 Action Levels." Any analytical data below the detection level, health-based action level, or Hanford Site Background threshold levels for soil is considered to signify that no additional cleanup action is necessary and that removal and or decontamination is complete.

The analytical data for all five (5) soil samples and the defined action levels taking into consideration detection levels, health-based standards, and sitewide background are provided in Table 1. As shown in Table 1, the Hanford Site Background threshold values were defined as appropriate action levels for all three constituents of concern, lithium, sodium, and potassium. As summarized in Table 1, all measured concentrations were found to be below the defined action levels.

8.0 CONCLUSIONS

The analytical results for the 3718-F TSF soil samples verify that the concentration of all treatment activity residues (lithium, sodium, and potassium) are well below action levels. Consequently, a second phase of sampling is not required and it is recommended that the 3718-F TSD be clean closed.

43 -

9

10

16 17

23

9.0	REF	ERE	ENC	ES

- DOE. 1995. The 3718-F Alkali Metal Treatment and Storage Facility Closure Plan, DOE/RL-91-35, Rev.2, U.S. Department of Energy, Richland Operations Office, Richland, Washington.
- DOE, 1995b, Hanford Site Background: Part 1, Soil Background for Non-radioactive Analytes, DOE/RL-92-24, Rev.3, Volumes 1 and 2, U.S. Department of Energy, Richland Operations Office, Richland, Washington.
- EPA, 1986, Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. SW-846, U.S. Environmental Protection Agency, Washington, D.C.
- Ecology, 1996, Model Toxics Control Act Cleanup Levels and Risk Calculations (CLARC II) Update, Publication #94-145, Update 1996, Washington State Department of Ecology, Lacy, Washington.
- HNF, 1997, Soil Sampling and Analysis Plan for the 3718-F Alkali Metal Treatment and Storage Facility Closure Activities, HNF-SD-ENV-AP-004, Rev. D. Rust Federal Services of Hanford for Fluor Daniel Hanford, Richland, Washington.
- WAC 173-303, "Dangerous Waste Regulations," Washington Administrative Code, as amended.
- WHC, 1993, Data Validation Procedures for Chemical Analysis, WHC-SD-EN-SPA-002, Rev. 2, Westinghouse Hanford Company, Richland, Washington.

This page intentionally left blank

APPENDICES

POLYCHLORINATED BIPHENYL INFORMATION FIELD NOTES VALIDATED DATA: PACKAGE THE FIELD AND A SECOND TO THE PACKAGE THE APPENDIX A. APPENDIX B. APPENDIX C.

This page intentionally left blank:

APPENDIX A

2

1

e de la company de la comp

15

20

25

31

32

42

43.

44

45· 47 48

52

53

54

INFORMATION REGARDING POLYCHLORINATED BIPHENYLS IN 3718-F SOIL SAMPLES

At the 3718-F Treatment and Storage Facility (3718-F TSF) Project Managers Meeting on January 14, 1997, the Washington State Department of Ecology (Ecology) raised a concern about the potential for PCBs having been introduced to the 3718-F TSF waste stream during the treatment of laboratory type waste. Ecology postured that steel components may have been machined with oils containing PCBs.

On February 3, 1997 a meeting was held to provide first hand knowledge on the treatment of material at the 3718-F TSF. As discussed by an operator at the unit:

- All components treated had been exposed to a flowing sodium environment prior to treatment at the facility. It is highly unlikely that PCBs would be stable in a high temperature sodium environment.
- No freshly machined equipment was known to have been cleaned or treated at the 3718-F TSF.
- As documented in the 3718-F TSF closure plan, the waste stream from the treatment process was either drummed or disposed of in the 300 Area industrial sewer.

In support of RCRA closure activities at the unit, soil samples were collected at three locations. The soil samples were analyzed for the constituents of concern (based on the Part A Form 3 and the closure plan): sodium carbonate, lithium carbonate, and potassium carbonate. Ecology drew split samples, and analyzed them for metals and PCBs. On June 3, 1997, Ecology informed DOE-RL that analysis of the split samples indicated the presence of Aroclor 1254 at a concentration of 15 mg/kg in the separator drain sump. The measured concentration of Aroclor 1254 at the other two sample locations was less than 38 1 mg/kg. Follow-up analysis of DOE-RL's splits confirmed the presence and concentrations of Aroclor 1254 reported by Ecology. Aroclor 1254 results for the DOE-RL splits are shown in table A-1. During data validation, the Aroclor 41 results were deemed acceptable for decision making purposes but should be considered as estimated quantities since the holding time had been exceeded for all five soil samples.

Based on the positive results for PCBs in the sump soil sample, an additional 46 search for potential sources of PCBs at the 3718-F TSF was initiated.

The type of oils used for machining components cleaned at the facility was 49 also investigated. Former 328 machine shop workers identified cutting fluids used in component manufacture. Material Safety Data Sheets (MSDS) were 51 - obtained for those cutting fluids used at the 328 machine shop and in the 272 machine shop from the late 1970's to the present time. A review of the MSDSs indicates that no PCBs were present in the cutting fluids. Due to concerns with chloride stress corrosion of stainless steel in a high temperature

environment, the presence of chlorides is strictly controlled on these components, therefore the presence of PCBs in the cutting oils used is extremely unlikely.

4 5

8

9

10 11 12

3.

was the life with this will a strike the

Table A-1. Concentration of Polychlorinated Biphenyls (Aroclor 1254)

for	3718-	F TSF	So 11	Samples
-----	-------	-------	-------	---------

LOCATION	SAMPLE #	CONCENTRATION
		Aroclor 1254
Northwest corner of pad	BOJHZ4	0.088 mg/kg
Northeast corner of pad (dup)	BOJHZ7	0.330 mg/kg
Drain Sump	BOJHZ5	15.0 mg/kg
Concrete pad mid-point	BOJHZ6	0.038 mg/kg
Concrete pad mid-point (dup)	BOJHZ8	undetected

14 15 16

17

18

19

20 21

enterativative besterning in the const

是是是一种,我们也是一个人,我们是一个人,我们也是一个人,我们也是一个人,我们也是一个人,我们也会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会

13

As discussed in the closure plan, waste alkali metals had been burned at the 3718-F TSF. The operators had mentioned that at times rags doused with a mixture of gasoline and diesel fuel had been used to help ignite the alkali metal waste. An investigation of this mixture revealed that a solution of 3 parts gasoline to one part diesel was used. Both the diesel fuel and gas that was used was obtained from fuel pumps both onsite and occasionally offsite. The rags that were used were either rags that had become soiled from use at the 3718-F TSF or were provided by the Hanford Laundry. Since PCBs were not present at the 3718-F TSF, the rags that were soiled due to use at the unit would not have contained PCBs.

25 26 27

28

29

24

Other potential activities in the vicinity of the 3718-F TSF which may have been the source of the PCB contamination include: hydraulic fluid leaks from industrial equipment, pesticide applications, leaking electrical equipment, or dust control using PCB contaminated oils. These potential sources were explored to the extent possible, but none could be confirmed as the source of contamination found in the soil. Due to the high stability of Aroclor 1254 in 33 : the environment and its property of tightly adhering to soil particles, the contamination may have been present for a long period of time.

34 35 :36

37

32

The Hazardous Substance Data Bank was consulted for information on Aroclor 1254. According to this source, Aroclor 1254 was not manufactured or sold 38 f after 1977. It was used in a variety of applications, including hydraulic fluids, adhesives, dedusting agents, cutting oils, pesticides, sealants, 40 caulking compounds, electrical capacitors, and transformers. Aroclor 1254 is also extremely stable in the environment, and will tightly adsorb to soil 42 particles. Based on the information presented, it is concluded that Aroclor 1254 is not a dangerous waste constituent resulting from the operation of the 44 : 3718-F TSF.

Because PCBs are not included on the Part A for the 3718-F TSF and were not managed at the unit, PCBs should not be addressed during the closure of this facility. As discussed at the August 8, 1997 Project Manager Meeting, information regarding PCBs in soil at the 3718-F TSF will be provided to the 300-FF-2 operable unit for their consideration in developing remedial alternatives for the site.

To assist in the transfer of the 3718-F TSF to the Environmental Remediation Program a copy of this report will be provided to both the ER Project Manager for the 300-FF-2 operable unit and the Waste Identification Database (WIDs). In addition, to establish a basis for the handing and disposal of the soil at the bottom of the sump, the results of the laboratory analysis were provided to Waste Management Federal Services of Hanford (Technical Services) for designation. The sample was designated as non-dangerous based using WAC 173-303-100 protocol. This designation allows for the soil to be disposed as a solid waste. Accordingly, this waste can be disposed as a solid waste when 17 the sump is either recycled or disposed at some future date.

8

9

10

11

12

managarista managarista

This page inten

ly left blank.

The transfer of the section of the s

and of page.

APP A-4

970902.1602

APPENDIX B

FIELD NOTES

This page intentionally left blank

Notebook No. WM- SML-HI Continued From Pare NONE

<u>.F.#:</u> R97-032

PROJECT TITLE: 3718-F Alkali Metal TSD

Sample Date: 4-24-97 Shipment Date: 4-28-97

CHARGE CODE: B12LA

TYPE OF PROTOCOL: Sampling done to RCRA Protocol

CUSTOMER: John C (Jack) Sonnichsen RFSH Engineer

FIELD CONTACTS: Jack Sonnichsen . PERSONAL: K.B. Hulse

Kenneth J Young Tom Dillhoff

Lucinda Penn John Ludowise

Jon Bartz

376-9956

SML Sampling Tech.

SML Scientist BWHC FFTF ECO

BWHC Reg. Comp. FFTF

CH2M Hill P.E. Dept. of Ecology

PURPOSE:

LOCATION:

REFERENCE DOCUMENTS: HNF-SD-ENV-AP-004 Rev: 0

SAMPLE POINT: There were three sample points. Point #1 was located on the Northeast corner of the concrete pad. Sample BOJHZ4 and the co-located duplicate BOJHZ7 were taken from point #1. Point #2 was at the drain sump. There were two pipes in the ground. The north pipe contained water. The southern pipe was the drain sump. Sample BOJHZ5 was taken from point #2. Point #3 was the mid-point of the concrete pad just south of the expansion joint. Sample BOJHZ6 and co-located duplicate sample BOJHX8 were taken from point #3. Sample BOJHZ9 was an equipment blank taken prior to sampling with ASTM type II water.

SAMPLING METHOD: The Equipment blank was taken first by pouring ASTM type II water over the sample equipment into a sample bowl. A peristaltic pump with new tubing was used to circulate the water over the sampling equipment to insure all surfaces had been rinsed by the water. The vender certified clean bottles were then filled by pumping the water into the bottles.

Sample points 1 and 3 were sampled by removing the top six inches of soil with a spade. The sample was retrieved by coring into the soil with a two inch coring tool. The sample media was deposited into a bowl. Another core was taken to cover the complete sample interval of 6 to 18 inches and placed in the bowl. The sample media was then mixed and placed in vender certified clean sample bottles with a spoon. The co-located sample was then taken by retrieving two cores from along side of the hole from the first sample and placed in a different bowl. Dept. of Ecology (WDOE) requested a sample from each location: The WDOE sample bottle was filled with soil from both the sample and the co-located duplicate sample media.

Sample point 2 was to be taken six inches below the surface but because of a plate on the bottom the sample was taken from the available soil. About four inches for soil was in the bottom of the drain sump above the steel plate. A three inch - coring tool was used to attempt to remove the top soil when the bottom plat was encountered. The soil that was taken while trying to remove the top soil was collected in a bowl. A two inch coring tool was used to retrieve more soil to be mixed with the soil taken out prior. The vender certified clean sample bottles were filled after the sample media was mixed with a spoon. A WDOE sample bottle was also ्र filled.

QNE ATTACHMENT ON THIS PAGE

Continued on Page

Read and Understood By

BHalse XB Hola

Sicres

NOTE: All sample equipment (bowls, spoons, shovels, spades) were stainless steel and had been cleaned to EII 5.5 procedure. New equipment was used at each sample point.

PPE: Blue coveralls, safety glasses, safety shoes, and surgeon gloves were worn.

WEATHER CONDITIONS: Sunny 55°F, wind 0-5 mph.

RADIATIONS READINGS: There area was determined as a radiation area and HPT coverage was not necessary. Rad screens sent to the on site lab showed no detectable · radioactivity.

COMMENTS: Sample point #2 the drain sump was thought to not have a plate on the - bottom. The sample interval was to be taken at 6 to 18 inches. Because of plated bottom the sample was taken from the soil on top of the plate as directed by Jack Sonnichsen with concurrence of Jon Bartz.


SHIPPING INFORMATION:

DESTINATION: Quanterra OFFSITE PROPERTY CONTROL # N/A C.O.C. # R97-032-1 SAMPLE # BOJHZ4 thru HZ9

DESTINATION: 222S C.O.C. # R97-032-2 SAMPLE # BOJHZ4 thru HZ9

TRANSPORTATION Government Vehicle AIR BILL # N/A COOLER # SML-545 Date shipped 4-28-97


TRANSPORTATION Government Vehicle COOLER # SML-545 Date shipped 4-24-97



3718 F Building And 4-24-97

NINE Photos ATTACHED DN_PAGES 23,25+26.

TWO ATTACHMENTS ON THIS PAGE



Read and Understood By

KB. Hule ZB Blan

Signed

JECT 3718-F Alkali Metal TSP

Notebook No. WM-SML-HI
Continued From Page _23

78971-4-29-97

		<u> </u>	_, <u></u>		
Sample Number	Date Collected	Time	Number and Type of Containers	Analysis Required	
BOJHZ4	4-24-97.	0840	(1)_20 ml Poly	Activity Scan (Lab specific)	N/A
BOJHZ4	4-24-97	0840	(1) 250-ml-Poly	ICP Metals (SDIDA) Lithium, Potassium, Sodium	L/250802050
BOJHZ4	4-24-97	0840	(1) 20 ml Poly	Rad Screen (Lab specific) 222-S	N/A
BOJHZ5	4-24-97	0920	(1) 20 ml Poly	Activity Scan (Lab specific)	N/A
BOJHZ5	4-24-97	0920	(1) 250 ml Poly	ICP Hetals (6010A) Lithium, Potassium, Sodium	L/250802050
BOJHZ5	4-24-97	0920	(1) 20 ml Poly	Rad Screen (Lab specific) 222-S	N/A
BOJHZ6	4-24-97	0940	(1) 20 ml Poly	Activity Scan (Lab specific)	N/A
BOJHZ5	4-24-97	0940	(1) 250 ml Poly	ICP Ketals (6010A) Lithium, Potessium, Sodium	L/250802050
BOJHZ6	4-24-97	0940	(1) 20 ml Poly	Rad Screen (Lab specific) 222-5	N/A
BOJHZ7	4-24-97	0840	(1) 20 ml Poly	Activity Scan (Lab specific)	N/A
BOJHZ7	4-24-97	0840	(1) 250 ml Poly	ICP Metals (6010A) Lithium, Potassium, Sodium	L/250802050
BOJHZ7	4-24-97	0840	(1) 20 ml Poly	Rad Screen (Lab specific) 222-S	N/A
BOJHZ8	4-24-97	0940	(1) 20 ml Poly	Activity Scan (Lab specific)	N/A
BOJHZ8	4-24-97	0940	(1) 250 ml Poly	1CP Metals (6010A) Lithium, Potassium, Sodium	L/250802050
BOJHZ8	4-24-97	0940	(1) 20 ml Poly	Red Screen (Lab specific) 222-\$	N/A
BOJHZ9	4-24-97	0821	(1) 20 ml Poly	Activity Scan (Lab specific)	N/A
BOJHZ9	4-24-97	0825	(1) 500 ml Poly	ICP Hetals (6010A) Lithium, Potessium, Sodium (HNO3)	L6113070
BOJHZ9	4-24-97	0825	(1) 20 ml Poly	Rad Screen (Lab specific) 222-\$	N/A

The state of the s

Read and Understood By


-KB Halon XB When

4-29-97

Signed


Date.






NBX 4-29-97.











Location

PAGE

Continued on Page

Read and Understood By

	· · · · · · · · · · · · · · · · · · ·	7-			.,					·			
Rust F Services I	ederal Northwest		(CHA	IN C	F CU	STODY/SAI	APLE ANALYS	SIS REQUEST	r	C.O.C.I	7-032	2-1
		1							_		Page		of J
Collector HU						Contact/Re			rel. No. 6-8991		N2-57	hyx.	
SAF Number						Sample Ori	18th 300 AR	EA	l'arclase Order/Ch	erge Code			
Project Title 37	18-If Alkali Mc	al T	SD			i Appedge, i	WM-SM	- H1	ice Chest# 5/	14-54	5 Teini	j	*
Shipped To (Lab)	Quanterra	<u>-</u>				Airthud uf	Shipment HAND	Delivered	Bill of Lading/Air B	II Ner.	1/4		
Prefecel RCRA						Dala Turre	around 45 DAYS		Offsite Property No.	N			
Sample No.	Lub, ID	*	Dale	Time	NwTy	ie Container	Sample Analysis	•		<u></u>			l'erzervalive
13011124		S	·W24/97	0840	(/)	20 P	Activity Seas (Lah Specific	,	•				Nutra
D0J11Z4		S	4/24/97	0840	(1)	250 I'	ICI* Mutabi (4010A), Lithic	nia, Padamitera, Sankania					Cool to 4°C
11011123		S	4/24/97	0920	(D	20 P	Activity Scan (Lab Specific)	•-				None
1NOTIEV3	,	S	4/24/97	0120	(1)	250 P	KIP Memis (6010A), Lathi	not, Pedarrimot, Berkum	•				Coul to 4"C
1)01[17.6	•	s	4/24/97	0110	(D	20 ľ	Activity Scan (I,ab Specific)	•				* Norw
DOULZE		8	4/24/97	0940	(D) :	250 P	KIP Melals (6010A), Lithi	nn, Pulassium, Sedium					Cood to 4°C
13011127		8	4/24/97	0840	(D)	20 P	Activity Scan (Lab Specific)					None
DOJIIZ7		s	4/24/97	0840	क	250 P	ICP Metals (6010A), Lithi	un, Pulassium, Suduan		•	•		Coul to 4°C
DOJLIZE	·	s	4/24/97	0940	(I)	20 P	Activity Scan (Lab Specific)					None
KYIJUKI		S	4/24/97	0940	(1)	250 P	ICP Metals (6010A), Lithi	nn, Polassium, Sodina			•		Cool to 4"C
1)011129		w	4/24/97	0825	Ó	20 l	Activity Scut (Lab Specific)	•				None
DGJIIZ9		w	4/24/97	0825	(f)	500 P	ICP Meinls (6010A), Lithi	mis, Pulassiimis, Soubinii					11NO3
POSSIBLE SAMPI List all known wa		IARK	:S		ISDS	Yes []	No p	SPECIAL INSTRUCTIONS		liold Time		 -	
				. •			•					··	, ,
Retinquished By	ulse X	5 de	Puls	•	المارا) مرازات	17	Thirty (N)	\	C(1) X-C(1)	S * S:	il diment	1,X -	Fran Soluk
Reimpisical Hy				.1	wic/l'ima	R	eceived by	<u> </u>	I kate/Time	S() - S ₁ SL = SI W = W	did udga	ng na Wi ≖	Tissue Wipe Liqued
Reinsposical Hy			. ,	, ,	hde/i ism	H	acival ly		Dute/Tuna	O = Oi	i	Y =	Vogelation Exher
Helinquished By	<u> </u>			, "F	hale/l'inna	K	eccived lly		Dule/Time				
Pinal Sample	Imposed Method wg	Ketur	n les catalogues	a, per luh pe	www.u	ed in process.	<u> </u>	l hopmacol lly	<u> </u>		l mic/	184246	
DISPOSITION	y and the same of	•	•	•				•		•			

A-G001-500 (07/05) . ,

All came des contributes harrendons materials shall be picked up by requester and returned to parent cantainer or site of origin.

The state of the s


THE THE PARTY OF T

THE REPORT OF THE PROPERTY OF

	in the common that the second of the common that the common terms of the common terms	411 7 = 1 4 + 2 2
VALIDATED RESULTS SHORT REPORT		<u>-</u> 25 Apr 199
		_
Customer ID: BOJHZ4 Lab Sample#: S97Z000281	Sample Date: Recv. Date:	04/24/97 08:40 04/24/97 13:47
paraméter \\		UNITS
Total Activity by LSC Total Act. by LSC: % Uncert. Total Activity by LSC (Solid)	11.18 < 8.31e-6	lUncertainty uCi/g
Customer ID: BOJHZ5 Lab Sample#: S97E000282	Sample Date: Recv. Date:	04/24/97 08:40 04/24/97 13:49
PARAMETER	RESULTS	UNITS
Total Activity by LSC Total Act. by LSC: % Uncert. Total Activity by LSC (Solid)		tuncertainty uCi/g
Customer ID: EOJHZ6 Lab Sample#: S97E000283	Sample Date: Recv. Date:	04/24/97 [:] 08:40 04/24/97 13:49
PARAMETER	RESULTS	UNITS_
Total Activity by LSC Total Act. by LSC: % Uncert. Total Activity by LSC (Solid)		Wincertainty uCi/g
Customer ID: BOJHZ7 Lab Sample#: S97E000284	Sample Date: Recv. Date:	04/24/97 08:40 04/24/97 13:49
PARAMETER	RESULTS	UNITS
Total Activity by LSC Total Act. by LSC: % Uncert. Total Activity by LSC (Solid)		%Uncertainty uCi/g
Customer ID: BOJHZ8 Lab Sample#: S97E000285	Sample Date: Recv. Date:	04/24/97 08:40 04/24/97 13:49
PARAMETER	RESULTS	UNITS
Total Activity by LSC Total Act. by LSC: * Uncert. Total Activity by LSC (Solid)	11.18) < 8.80e-6	%Uncertainty uCi/g
Customer ID: BOJHZ9 Lab Sample#: S97E000286	Sample Date: Recv. Date: RESULTS	04/24/97 08:40 04/24/97 13:49
PARAMETER.	RESULTS	UNITS
Total Activity by LSC Total Act. by LSC: * Uncert. Total Activity by LSC (Solid)		%Uncertainty
Total Activity by LSC (Solid)) < 9.00e-6	uCi/g

Rust I	Rust Federal	-		7110		orro arc	C DID/K TAIKA G IGINA A DI/KGOTE	GO.C# X:97-032-2	32-2
Services	Services Northwest		-				LEISTIN OF COSTON X/SAIME LE FINAL EST SON TOUS LE LEISTE	•	Jo
Collector HULSE, KARL	ILSE, KARL					Contactification	PENN, LUCINDA	Tel. No. 6-8991 MSIN N2-57 E	EAX
SAF Number R97-032	R97-032	77.				Sample Origin	37/8-6	Purchase Order/Charge Code/ 8/22 4	
Freject Title 3718-F Alkali Mclal TSD	718-F Alkali M	- E	TSD	ŀ		Lagbook#	1 # -7W - WM	to Chail I SM L. S 45 Temp.	
Shipped To (Lab)	222-S					Method of 2		DIM of Ladding/Air Bill No.	
Protocol RCRA						Data Turns		Offstle Property No. W/A	
Sample No.	U.A.A.	*	Date	Time	Neffy	pe Container	No.Lype Container Sample Analysis		Perservative
130,112.4		1/2		1 02. (1) 0890 TOLKY	s	·20 P	Rad Serven (Lab specific)	•	None
BOILES		S	472497	0) 0260	ε	20 P	Red Serven (Leb specifie)		None
9ZIII00I		s	NOA197	42487 0940 (T)	ε	20 17	Rod Seren (Lob specific)		None
1211100		123	472497	47487 0840	€	20 P	Rad Serecn (Lab specific)		None
#Z11f0f1		ß		(1) 6990 (A)	S	20 F	Rad Screen (Lab specifie)	•	". None
DOILIZS		≯	(1) 2580 ranch	0825	s	20 P	Nad Sereen (Lab specific) .	•	None

Production and the second of the second



FINAL SAMPLE Disposal Method o.g. Return to customer, per lab procedure, used in process.

DESPOSITION

dinquished By

Date/Time

Date/Time

Leceived Lly

Date/Line

Descrime

A-6001-500 (07/85)

APPENDIX C

VALIDATED DATA PACKAGE

SD-ENV-ER-002,- Rev.

APP C-2

Golder Associates Inc.

4104-148th Avenue, NE Redmond, WA 98052 Telephone (206) 883-0777 Fax (206) 882-5498



July 28, 1997

Our ref: 943-1610.170.0400 943-1610.171.0400 94-1610/0/688

Waste Management Federal Services of Hanford Inc. 1820 Terminal Drive, MSIN E6-06 Richland, Washington 99352

ATTENTION: Ms. Briana Colley

RE:

TRANSMITTAL OF DATA VALIDATION REPORTS,

CONTRACT NO MSH-6WV-315905 THIS PAGE IN

Dear Ms. Colley:

AMAIL TING

This letter is to transmit the following data validation package:

SAF#

Project

Data Package

Analyses

R97-091

400A Flow Meter Hut W01649-QES

General Chemistry, Inorganic

R97-032

3718-F Alkali Metals W01622-QES

Inorganic, PCB's

Please call if you have any questions.

Sincerely,

GOLDER ASSOCIATES IN

Thomas M. Stapp

Project Manager

TMS/ca

Enclosures

JUL 2 9 1997 VALIDATION DOCUMENTATION MANUAL SDLA

THIS PAGE INTENTIONALLY LEFT BLANK

MEMORANDUM

TO: 3718-F Alkali Metals TSD, Project QA Record

July 24, 1997

FR: Thomas Stapp, Golder Associates Inc. . The

RE: INORGANIC DATA VALIDATION SUMMARY FOR DATA PACKAGE:

W01622-QES (943-1610.171, Filename 1622INO.DOC)

INTRODUCTION

This memo presents the results of data validation for the analyses indicated below on data package W01622-QES prepared by Quanterra Environmental Services. Sample information is provided in the following table.

SAMPLE ID	MEDIA	· ANALYSIS	COMMENTS .
B0JHZ4	SOIL	INORGANICS	
B0JHZ5	SOIL		·
BOJHZ6	SOIL		
BOJHZ7	SOIL	SEE ATTACHMENT 4	
BOJHZ8	\$OIL	Jan	
B0JHZ9	WATER		

Data validation was conducted to level D in accordance with the WHC statement of work (WHC 1994) and validation procedures (WHC 1993). Attachments 1 through 5 provide the following information as indicated below:

Attachment 1. Glossary of Data Reporting Qualifiers

Attachment 2. Summary of Data Qualifications

Attachment 3. Qualified Data Summary and Annotated Laboratory Reports.

Attachment 4. Laboratory Narrative and Chain-of-Custody Documentation

Attachment 5. Data Validation Supporting Documentation

DATA QUALITY OBJECTIVES

This section presents a summary of the data quality in terms of the referenced validation criteria.

Precision. Goals for precision were met.

Accuracy. Goals for accuracy were met.

Detection Limits. Soil detection limit goals were not met for sodium and lithium as stipulated in Table 2 of "Soil Sampling and Analysis Plan for the 3718-F Alkali Metal Treatment and Storage Facility Closure Activities". Contract required detection limits for the water sample were not indicated.

Completeness. The data package was complete for all requested analyses. A total of six (6) samples were validated in this data package with a total of eighteen determinations reported, all of which were deemed valid. This results in a completeness of 100 percent, which meets normal work plan objectives of 90 percent.

MAJOR DEFICIENCIES

No major deficiencies were identified during data validation which required qualification of data as unusable.

MINOR DEFICIENCIES

The following minor deficiency was identified during data validation which required qualification of data.

Method Blank

Sodium was detected in the preparation blank for sample B0JHZ9 and qualifies
the associated result for sodium as non-detect. Attachments 2 and 5 provide a
summary of the sample affected, data qualifications applied and supporting
documentation.

REFERENCES

WHC 1993, Data Validation Procedures for Chemical Analyses, WHC-SD-EN-SPP-002, Rev. 2, 1993. Westinghouse Hanford Company, Richland, Washington.

WHC 1994, Environmental and Waste Characterization Analytical Data Validation, Purchase Order MSH-SWV-315905; Validation Statement of Work, Revision 1.0, September 7, 1994; Westinghouse Hanford Company, Richland, Washington

RFSH 1997, "Soil Sampling and Analysis Plan for the 3718-F Alkali Metal Treatment and Storage Facility Closure Activities" (Project TSD), HNF-SD-ENV-AP-004, Revision 0, May, 1997; RUST Federal Services of Hanford, Richland, Washington.

anns annanceantheannaidh a dheile an Aighrei

ATTACHMENT 1

GLOSSARY OF DATA REPORTING QUALIFIERS

WHC-SD-EN-SPP-002, REV.2

Glossary of Inorganic Data Reporting Qualifiers.

- B Indicates the constituent was analyzed for and detected. The concentration reported is less than the contract required detection limit (CRDL) but greater than the instrument detection limit (IDL). The associated data should be considered usable for decision making purposes.
- U Indicates the constituent was analyzed for and not detected. The concentration reported is the sample detection limit corrected for aliquot size, dilution and percent solids (in the case of solid matrices) by the laboratory. The associated data should be considered usable for decision making purposes.
- UJ Indicates the constituent was analyzed for and not detected. Due to a minor quality control deficiency identified during data validation the concentration may not accurately reflect the sample detection limit. The associated data have been qualified as estimated but should be considered usable for decision making purposes.
- BJ Indicates the constituent was analyzed for and detected at a concentration less than the contract required detection limit (CRDL) but greater than the instrument detection limit (IDL). Due to a minor quality control deficiency identified during data validation the associated data have been qualified as estimated, but should be considered usable for decision making purposes.
- J Indicates the constituent was analyzed for and detected. Due to a minor quality control deficiency identified during data validation the associated data have been qualified as estimated, but should be considered usable for decision making purposes.
- "UR F. Indicates the constituent was analyzed for and not detected. Due to a major quality control deficiency identified during data validation, the associated data have been qualified as unusable for decision making purposes.
- R Indicates the constituent was analyzed for and detected. Due to a major quality control deficiency identified during data validation, the associated data have been qualified as unusable for decision making purposes.

ATTACHMENT 2

will follow the metalestical backback from a figure that the

SUMMARY OF DATA QUALIFICATIONS

WHC-SD-EN-SPP-002, Rev. 2

DATA QUALIFICATION SUMMARY - FORM B-7

SDG: W01622-QES	BY: T. Stapp	DATE: 07/24/97	PAGE1OF1		
COMMENTS: INORGAN	IC				
COMPOUND/ ANALYTE	QUALIFIER"	SAMPLES AFFECTED	REASON		
SODIUM	U	B0JHZ9	CONTAMINANT DETECTED IN THE METHOD BLANK		

~

ATTACHMENT 3

inche:

and seems a consequence with the configuration was seemed.

TORY REP

Validated Data Summary, Data Package: W01622-QES

	Sample # Date Location	BOJHZA 4/24/97		B0JHZ5 4/24/97		B0JHZ6 4/24/97		B0JHZ7 4/24/97	•	B0JHZ8 4/24/97	
•	Depth Type . Comments	SOIL		SOIL		SOIL		SOIL		SOIL	
Parameter	Units	Results	Q	Results (Q	Results	Q	Results	Q	Results	<u>Q</u>
POTASSIUM SODIUM LITHIUM	MG/Kg	1020.000 175.000 9.100	В	746.000 531.000 29.000	В	1050.000 194.000 33.100	В	942.000 - 174.000 9.600	В	1360,000 218,000 30,300	

The decimal places shown do not reflect the precision reported by the laboratory.

	Sample #	B0JHZ9	
,	Date	4/24/97	
	Location		
	Depth		
	Туре	Water	
	Comments		
Parameter	Units	Results	Q
POTASSIUM	UC/L	1900.000	Ü
SODIUM	UG/L	364,000	Ü
LITHIUM	UG/L	4.500	U

The decimal places shown do not reflect the precision reported by the laboratory.

P.O. Box 1970: Richland, WA. 99352

Project: 678.23

ICP Metals-6010A (Li,K,Na) EPA 6010 SOLID

Quanterra 10 : 14505-001

Analyte	CAS Number	Blank Sample Name	Prep. Analyses Detection Date Date Result Unit Qual. Limit Dilution
Potassium Sodium Lithium	7440-09-7 7440-23-5 7439-93-2	OCBLK141499-1 OCBLK141499-1 OCBLK141499-1	05/23/97 05/23/97 1020 MG/KG 536 1 05/23/97 05/23/97 175 MG/KG B 536 1 05/23/97 05/23/97 9.1 MG/KG 5.4 1

RECORD COPY

Rust Federal Services
Rust Federal Services
P.O: Box 1970
Richland, VA. 99352

Project: 678.23

Category: ICP Metals-6010A (Li,K,Ha)

Method: EPA 6010

Client 10: BOJHZS

Sample Date : 04/24/97 Receipt Date : 04/28/97 Report Date : 06/10/97

uanterra ID : 14505-002

Analyte		j satisficial Bla	nk Sample Name	Prep. Analyses Detection Date Date Result Unit Qual. Limit Dilution
Potessium Sodium Lithium	÷	7440-23-5 QCB	LK141499-1 LK141499-1 LK141499-1	05/23/97 05/23/97 746 HG/KG 559 1 05/23/97 05/23/97 531 HG/KG B 559 1 05/23/97 05/23/97 29.0 HG/KG 5.6

RECORD COPY

705/970723 -000633 Rust Federal Services Rust Federal Services P.O. Box 1970 Richland, WA 99352

Project: 678.23

ategory: ICP Metals-6010A (Li,K,Na) Hethod: EPA 6010 ---Hatrix: SOL10

Client ID: BOJKZ6

Analyte	CAS Number	Blank Sample Name	Prep. Date	Analyses Date	Result Unit Qual.	Detection Limit Dilution
Potassium		OCBLK141499-1	05/23/97	05/23/97	1050 HG/KG	541 1
Sodium		OCBLK141499-1	05/23/97	05/23/97	_ 194, HG/KG B.	541 1
Lithium		OCBLK141499-1	05/23/97	05/23/97	33.1 HG/KG	5.4 1

RECORD COPY

Rust Federal Services Rust Federal Services P.O. Box 1970 Richland, WA 99352

roject: 678.23

category: ICP Ketals-6010A (LI,K,Na

Method: EPA 6010

Hatrix: SOLID
Client ID: BOJHZ7

Sample Date : 04/24/97 Receipt Date : 04/28/97 Report Date : 06/10/97

Ouanterra ID : 14505-004

	7. 7		<u> </u>			 				 	Ţ.,		
Analyte	•	7.	-	CAS Number	Blank Sample . Name	 Prep. Date	Analyses Date	Result	Unit:	Quat.	Detection Limit	Dilution	•
Potassium Sodium Lithium	 .			7440-09-7 7440-23-5 7439-93-2	OCBLK141499-1 OCBLK141499-1 OCBLK141499-1	 05/23/97 05/23/97 05/23/97	05/23/97 05/23/97 05/23/97	942 174 9.6	HG/KG HG/KG		535 535 5.3		

RECORD COPY

10397072 00003 Rust Federal Services
Rust Federal Services
P.O. Box 1970
SS Richland, WA 99352

Project: 678.23

Category: ICP Hetals-6010A (Li,K,Ha)

Method: EPA 6010

Client ID: BOJHZ8

Sample Date : 04/24/97 Receipt Date : 04/25/97 Report Date : 06/10/97

Quanterra 10 :: 14505-005

4 mm	the same of			
Analyte	CAS Number	Blank Sample Name	Prep. Analyses Date Result Unit Dual	- Detection Limit Dilution
Porassium Sodium Lithium	7440-09-7 7440-23-5 7439-93-2	OCBLK141499-1 OCBLK141499-1 OCBLK141499-1		543 543 5.4

RECORD COPY

110x97072' -000036

Rust Federal Services
Rust Federal Services
P.O. Box 1970
Richland, WA 99352

Project: 678.23

Category: ICAP Hetali Method: EPA 6010 Matrix: LIGUID

Client ID: BOJHZ9

Sample Date : 04/24/97 Receipt Date : 04/28/97 Report Date : 06/10/97

Quanterra ID : 14506-001

Analyta	***************************************	CAS Number	Slank Sample Name	Prep. Analyses Date Date	Detection Result Unit Qual Limit Dilution
Potassium	· · · · · · · · · · · · · · · · · · ·	7440-09-7	OCBLX141490-1	05/23/97 05/23/97	1900 UG/L U 5000
Sodium		- 7440-23-5	OCBLX141490-1	05/23/97 05/23/97	364 UG/L P U 5000
Lithium		7439-93-2	OCBLX141490-1	05/23/97 05/23/97	4.5 UG/L U 50.0

RECORD COPY

ATTACHMENT 4

LABORATORY NARRATIVE AND CHAIN-OF-CUSTODY DOCUMENTATION



Quanterr# Incorporated 13715-Rider Trail North Earth City, Missouri 63045

314 298-8566 Telephone 314 298-8757 Fax

CASE NARRATIVE

Rust Federal Services
P.O. Box 1970
Richland, Washington 99352

June 12, 1997

Attention: Karl Pool

Project number : 678.23

Date Received by Lab : April 28, 1997

Number of Samples : Six (6)

Sample Type : (5) Soil and (1) Water

SDG Number : W01622
Data Deliverable : Standalone

RECORD COPY

I. Introduction

On April 28, 1997, a total of six (6) samples comprised of five (5) soil sample and (1) water sample were received by Quanterra, Richland and were transferred to Quanterra, St. Louis for chemical analyses. Upon receipt, the samples were given the following laboratory ID numbers to correspond with the specific client IDs:

St. Louis ID	RES ID	Richland ID	Matrix	Date of Receipt
14505-001	B0JHZ4	70440801	Soil	28-APR-97
14505-002	BOJHZ5	70440802	Soil	28-APR-97
14505-003	B0JHZ6	70440803	Soil	28-APR-97
14505-004	BOJHZ7	70440804	Soil-	28-APR-97
14505-005	BOJHZ8	70440805	Soil	28-APR-97
14506-001	B0JHZ9	70440901	Water	28-APR-97
		•		-

II. Analytical Results/ Methodology

The analytical results for this report are presented by analytical test. Each set of data includes sample identification information, analytical results and the appropriate detection limits.

Analyses requested: ICAP Metals (Lithium, Potassium and Sodium) by EPA Method 6010.

-1710-97072 -000005



Rust Federal Services June 12, 1997

Project Number: 678.24

SDG: W01657

Page 2

RECORD COPY

III. Quality Control

A Laboratory Control Sample and Method Blank were analyzed with each preparation batch. A Matrix Spike and Matrix Spike Duplicate were performed per the protocol for this SDG.

IV. Definitions

The following codes were used to denote laboratory quality control samples and can be found in the data summary section of this report:

QCBLK- Quality Control Blank, Method Blank QCLCS- Quality Control Laboratory Control Sample, Blank Spike

V. Comments

Shipping and Receiving

There are no comments or nonconformances associated with the shipping and receiving of the sample.

Metals

The ICP digestion was prepped 50 mls to 50 mls for samples 14506-001, 14506-001S and 14506-001SD.

I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

Reviewed and approved:

Wade H. Price

Project Manager

e:\\price\$\hanford\678.xx\rfs622.nar

-11897072=

Rust Fed Services No			CHA	IN O	F CU	STODY	/SAMP	LE AN	ALYSIS	REQU	EST	C		7-032		
· 		<u>.</u>	<u> </u>		Contact/Re	questar PF	NN LUCIN	IDA		Tel. Nu. 6.	-8991	MSIN N	Page 2-57	PAX	<u>· </u>	
Collector HULS SAF Number R9					Sample Or					Purchase Or						
		t trein			Lagbook #	700	AREA			ice Chest N			- Tem	1		
	-F-Alkali Met				Alethod of	-1.1	SML- H			illil of Ladin		545		•···		
	Quanterra							eliveze	٠ <u>٠٠</u>	<u> </u>			14			
rotocol RCRA	·			•	Data Turn		DAYS			Offsite Prop	cily No.	NIS	1			
Sample No.	Lab. 11)	* Date	Time	Newlybe	Contabeer	Sample Analys	s								electa:	alive
11011124		S 4/24/97	0840	(1) 2	ין ס	Activity Scan (I :									Non	¢
1011UA		\$ 4/24/97	0340	(/) 23	0 P	ICP Metals (60)	QA), Lishiwa, Pote	assium, Sodium	100% /	0440	1801				Cool to	14
13031123		S 4/24/97	0920	([) 2	0 P	Activity Sean (L.						· · · · · · · · · · · · · · · · · · ·			Non	<u> </u>
lw/li25		S 4/24/97	0120	(/) 25	0 P	ICI' l-letals (69)	QA), i shisum, l'oto	nssium, Sodium	100%		02				Coul to	4°C
1303112.6		S 4/24/97	0110	(1) 2	0 P	Activity Scan (L.	ab Specific)								Non	re
11031126		S 4/24/97	0940	([) 25	0 P .	HIP Aletals (60)	OA), Lithium, Pot	nerius, Sedius	100%	}	03				Cool to	40
1803112.7		S -4/24/17	0840	(1) 2	0 P	Activity Sem (I	ala Specific)		٠٠ .						Non	14
IsoJIIZ7		S 4/24/97	0840		0 P	ICP Metals (60)	QA), Lishiwa, Pot	antiun, Sodium	100%		04				Cool to	, 4°C
Bollick		S 4/24/97	0140		o r	Activity Scen (i	nh Specific)								Non	10
MATITAN		S 4/24/97	0140	(1) 2:	o t	ICP Metals (60)	OA), Lithium, Pet	lussenum, Serdieum	100%	Y	05				Cool to	14°C
[10]][Z9		W 4/24/97	0825	(1) 2	.o I'	Activity Scan (I.	ab Specific)					,			Nor	ы
100J11Z9		W 4/24/97	0825	(1) 50	0 P	ICP Metals (60)	OA), I ithiwa, Pol	lassinus, Sochun	,						1180	.)3
POSSIDILE SAMPLE I	HAZARDS/REA			ISDS	Yes 🖸	Nu 🖼	SPE	CLAL INSTRU	Charles Command			ld Time	•			
List all known waste	5.	S1	06-	WO	422	•			RE(COR	DC	ObA		-		•
Columpashed by Print		Zien	11		1515-		Print (S		Date/Time (ZIZ		Ma	trix *		
XB Hu	lse I	& That's	u 4	1-25-9	7	shukt	Write	N Da	रिश्व पर			S = Sul SB. = Sedir	neni .		Drum 5	
telinquistred By	<u> </u>		t	late Tiene	F	eccived By	(100dp)	-1		Date/Time		S() = Solid SI Shuh		T -	Tissuc Wipe	
				a du efficie		eccived Uy			 	Date/Fine		W - Water		l	Liquid	
letinguished Lly		•		Jule/Tinne	ľ	·				1	.	Y - Yk O = Oil			Vegeta Other	HUT
(clipsophed By	1.		· r)slef l'inve		eccived Uy				Date/Time		, <u>,,,</u> ,				
ŀ. Ф					: }					, 	·			-/ l'inne		
FINAL BAMPLE I	ksjond liktion s g	, its tenu to em door	es, jes jelsje	ia cibur, me	of M Sevenal			l Aisp	eard lty			•.	į Joka	el linne		
السامان	<u></u>	" "d list sirker	nja bij senju	relar and r	ducard to pe	rent custolnes of s	lie of uplyin.	······································						A-6	01-500	(07/95)

ATTACHMENT 5

DATA VALIDATION SUPPORTING DOCUMENTATION

WHC-SD-EN-SPP-002, Rev. 2

INORGANIC ANALYSIS DATA VALIDATION CHECKLIST

The transmit of the second street with the second s

VALIDATION- LEVEL:	A	В	С		E
PROJECT: 37	718F Alkali	Metals TSD	DATA PACKAGE	: 943-161	0-171
VALIDATOR: -	T- STAPP	LAB: QUA			1 22 97
CASE:	فالأدان المستوالي المستوال	ر دور دانیدی شهر در انتقاب بر را استان ۱۳۰۰ کست	sog: WO	622-QE	S
·	·	ANALYSES	PERFORMED		
□ CLP/ICP	☐ CLP/GFAA	□ cr>₩°	CLP/Cyanide	۵	0
SW-846/ICP	SW-846/GFAA	☐ SW-845/Hg	□ SW-846 Cyanide		
SAMPLES/MATR	IX BOJI	HZ4. BOJ	HZ5, BO	JHZ6 P	BOJHZ7
BOTHZ)14 ·	\	· · · · · · · · · · · · · · · · · · ·	
BOJH.	79 / WA	TER			
		· 		·	
			·····	<u></u>	
1. DATA PACK Is technical Is a case nar	verification			>	es No N/A
Comments:					· ·
	<u> </u>			•	
	· · · · · · · · · · · · · · · · · · ·			·	
2. HOLDING TI	ruce	· •	 	<u> </u>	
Are sample hol	•	cceptable?	• • • • • •		es No N/A
COmments			· · · · · · · · · · · · · · · · · · ·		······································
			·. ·		·
· · · · · · · · · · · · · · · · · · ·	·	•			
<u> </u>		· · · · · · · · · · · · · · · · · · ·			
	· · · · · · · · · · · · · · · · · · ·			<u>. </u>	<u>· </u>
	·	· 	,	e de	

WHC-SD-EN-SPP-002, Rev. 2

INORGANIC ANALYSIS DATA VALIDATION CHECKLIST
3. INSTRUMENT PERFORMANCE AND CALIBRATIONS
Were initial calibrations performed on all instruments? Yes No N/A
Are initial calibrations acceptable? Yes No N/A
Are ICP interference checks acceptable? Yes No N/A
Were ICV and CCV checks performed on all instruments? Yes No N/A
Are ICV and CCV checks acceptable? Yes No N/A
Comments:
• -
4. BLANKS
Were ICB and CCB checks performed for all applicable analyses? Yes No N/A
Are ICB and CCB results acceptable? $N.$ TE Φ Yes N N/A
Were preparation blanks analyzed?
Are preparation blank results acceptable? NOTE @ Yes (to) N/A
Were field/trip blanks analyzed? NOTE 3 Yes No (N/A)
Are field/trip blank results acceptable? Yes No (N/A)
comments: 1) Positive and negative calibration blank results are
defected however all sample results are above 5x rule and
no qualification applies. (2) Defect in prep. blank for Sodium qualifie
2950 ciated water Sample (BOJHZ9) result as non-detect (W). See
blank Summary page. (3) Field QC not identified with this SDG
5. ACCURACY
Were spike samples analyzed? Yes No N/A
Are spike sample recoveries acceptable?
Were laboratory control samples (LCS) analyzed? Yes No N/A
ire LCS recoveries acceptable? Yes No. N/A
Comments:
* * * * * * * * * * * * * * * * * * * *
•

The state of the s

Wic-SD-EN-SPP-002, Rev. 2

INORGANIC ANALYSIS DATA VALIDATION CHECKLIST

. 5. PRECISION
Were laboratory duplicates analyzed? . NOTE (D Yes) No N/A
Are laboratory duplicate samples RPD values acceptable? Yes No N/A
Were ICP serial dilution samples analyzed? Yes No N/A
Are ICP serial dilution *D values acceptable? . MOTE Yes NO N/A
Are field duplicate RPD values acceptable? . NOTE 3 Yes No N/A
We title abite with talant appropriate
comments: 1) MS/IMSD recoveries are substituted for doplicate
analysis and all RPD are within livnits. (2) ICP serial dilution
30 values for Kand Na exceed 10% however criteria for qualification
does not apply. (3) Field CC has not been identified in
this 508 and has not been evaluated.
7. FURNACE AA QUALITY CONTROL
Were duplicate injections performed as required? Yes No (N/A)
Are duplicate injection %RSD values acceptable? Yes No (N/A)
Were analytical spikes performed as required? Yes No N/A
Are analytical spike recoveries acceptable? Yes No N/A
Was MSA performed as required? Yes No (N/A)
Are MSA results acceptable? Yes No N/A
Comments:
in the second se
8. REPORTED RESULTS AND DETECTION LIMITS
Are results reported for all requested analyses? Yes No N/A
Are all results supported in the raw data? Yes No N/A
Are results calculated properly? Yes No N/A
Do results meet the CRDLs? NOTE Yes (No) N/A
Comments: O. CRDL's as indicated in Table 2 of the Soil Sampling
and Avalysis Plan have not been met by the laboratory
for Sodium and Lithium (1.4 and 0.2 mg/kgm respectively)
however qualifination of regults is not applied. CRDI's
have not been established for water samples.

BLANKS SUMMARY

Lab Name:	QUANTERRA_MO	Contract:	678.23	~
Lab Code:	ITMO Case No.:	SAS No.:	SDG No.:	W01622_
Preparation	on Blank Matrix (soil/water	c): WATER	• =	- - <u>-</u>
Preparatio	on Blank Concentration Unit	s (ug/L or mg/kg)	: UG/L	

		<u> </u>									_
Analyte	Initial Calib. Blank (ug/L)	C		in B C	uing Calih lank (ug/I 2	ra ,) C	•	С	Prepa- ration Blank	С	М
Potassium Sodium Lithium	1903.0 58.2 5.5	B B	1903.0 97.1 9.0	U B B	1903.0 109.2 10.4	B	1903.0 69.4 4.5	บ B บ	1903 000 £ 147.070 9.380	BY	0 0 0
				- - -				-		-	
		-		- - -						-	
				- - -						-	
		1 1 1		- - -		- - -				- -	
		- - -		 		- - -					
		_ _ _ _		1 1 1				- - - -		_	-
		- - -		_		- - -				- - -	
		 		- -		- -		- - -		-	

Associated result < 5x the circled value (= 735 mg/L) is qualified as non-defect. FORM III - IN (Sample BOJHZ9) SW-84

TNO 970722

HOLDING TIME SUMMARY

SDG: W0162	Z-GES"	VALIDATOR:	-T. ST	APP	DATE: 7-22-97	PAG	E
COMMENTS: INORGANIC ANALYSIS							
FIELD SAMPLE	ANALYSIS TYPE	DATE SAMPLED	DATE PREPARED	DATE. ANALYZED	PREP. HOLDING TIME, DAYS	ANALYSIS HOLDING TIME, DAYS	QUALIFIER
BOJHZ4	ICP 60104	4-24-97	5-23-97	5-23-97	<180	<180	NONE
H25	}						
HZ6		<i>\</i> .					
. H Z7)				·		
A H 58		. ()			
BOJ HZ9	À	Ŷ.	V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	√ .	V	\downarrow
		•					
		•				-	``
			•				
• • • • • • • • • • • • • • • • • • • •	·						
			·		•		•
	·						<u> </u>

Sample Disposition Record

Control #: SDR97-036

Revision#:

0

Date Initiated:

4/30/97

Section 1 - BACKGROUND

SAF#: R97-032

OU: N/A

Project ID: TSD

Task ID:

Sampling Event: 300 Area 3718-F TSD closure

Laboratory: Quanterra

Project Coordinator: Steele, SM

Task Manager: Sonnichsen, JC

Section 2 - SAMPLE INFORMATION

Number of Samples: 6

ID Numbers: BOJHZ4, BOJHZ5, BOJHZ6, BOJHZ7, BOJHZ8, BOJHZ9

MATRIX: Soil

Collection Date: 04/24/97

Section 3 - ISSUE

Class: Lab Direction

NCR Number: N/A

Type: Clarification of Direction

Description: Water and soil samples were received under the same COC. The lab would like to create two SDGs.

N/A

NCR Validation (Print/Sign)

Date

Section 4 - DISPOSITION

Type: Use As Is

Description: The water sample should be analyzed with the soils in the same SDG. The water sample should be reported

with water units. Also note in case narative for SDG W01622.

Steele, SM

Project Coordinator (Print/Sign)

Im Steets

Date'

Sannichern JC Lucinda Penn Juanta tran

113/97

Task Manager (Print/Sign)

N/A

QA' (Print/Sign)

. Date

Section 5-INSPECTION (Issue Class: Nonconformance Only)

Inspection Number:

N/A

Inspection Results:

N/A

N/A

Inspector (Print/Sign)

Date

			·
	Control #:	SDR97-039	The same of the sa
Sample Disposition Record	Revision#:	0	
the second of th	Date Initiated:	6/3/97	· · · · · · · · · · · · · · · · · · ·
Section 1 - BACKGROUND .	•		दस रेट्सिस क्षेत्रेस्ट , रेजाव लेड
SAF#: R97-032	•		またいの (A)
OU: N/A			
Project ID: TSD		•	
Task ID:		•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sampling Event: 300 Area 3718-F TSD closure	•	•	7
Laboratory: Quanterra			
Project Coordinator: Steele, SM	•		
Task Manager: Sonnichsen, JC			
Section 2 - SAMPLE INFORMATION			
Number of Samples: 5	•	•	
1D Numbers: BOJHZ4, BOJHZ5, BOJHZ6, BOJHZ7, BOJHZ8			•
MATRIX: Soil			
Collection Date: 04/24/97	•	•	•
Section 3 - ISSUE	•	,	,
Class: Lab Direction			•
NCR Number: N/A			•
Type: Other-Additional Analytical Scope			
Description: Customer would like to analyze the soil samples	in SDG W01622 for	r PCB's.	:
		•.	
		•	
N/A			
NCR Validation (Print/Sign)			'≡ Date
Section 4 - DISPOSITION	<u> </u>		
Type: Use As Is			•
Description: Quanterra will analyze the soil samples for PCI	3's only, by method 8	080. The analysis	is to be done on a
"Priority turnsround" of 15 days starting 6/4/5	7. The analysis resu	ilts will be reporte	d in SDG W01622A.
		•:	
Steele, SM Phileelo			6/3/97
Project Coordinator (Print/Sign)		+	Date .
Sonnichson, JC L. L. Penn Sauda Tion			6/4/97
Task Manager (Print/Sign)		•	Date 2
N/A	· · · · · · · · · · · · · · · · · · ·	•	
QA (Print/Sign)	* .		Date

Section 5 - INSPECTION (Issue Class: Nonconformance Only)

N/A

Inspection Number:

Inspection Results:

Inspector (Print/Sign)

N/Å

MEMORANDUM

TO: 3718-F Alkali Metals TSD Project QA Record

August 5, 1997

FR: Thomas Stapp, Golder Associates Inc.

RE: PCB DATA VALIDATION SUMMARY FOR DATA PACKAGE

W01622-QES (Project: 943-1610.171 Filename: 1622PEST.DOC)

INTRODUCTION

This memo presents the results of data validation for the analysis indicated below on data package W01622-QES prepared by Quanterra Environmental Services. Sample information is provided in the following table.

SAMPLE ID	COMMENTS	ANALYSIS	MEDIA
B0JHZ4 B0JHZ5		PESTICIDE/PCB	SOIL SOIL
BOJHZ6		SEE ATTACHMENT 4	SOIL
B0JH27 B0JH28	,		SOIL SOIL

Data validation was conducted to level D irraccordance with the WHC statement of work (WHC 1994) and validation procedures (WHC 1993). Attachments 1 through 5 provide the following information as indicated below:

Attachment 1. Glossary of Data Reporting Qualifiers

Attachment 2. Summary of Data Qualifications

Attachment 3. Qualified Data Summary and Annotated Laboratory Reports

Attachment 4. Laboratory Narrative and Chain-of-Custody Documentation

Attachment 5. Data Validation Supporting Documentation

DATA QUALITY OBJECTIVES

This section presents a summary of the data quality in terms of the referenced validation criteria.

Precision. Goals for precision were met.

Accuracy. Goals for accuracy were met with the exception of the minor deficiency identified below.

Completeness. The data package was complete for all requested analyses. A total of five samples were validated in this data package with a total of 35 determinations reported,

Revised 11/2

four of which were deemed valid. This results in a completeness of 11 percent, which does not meet the 90 percent objective of the work plan.

Detection Limits. Detection limit goals have not been established for this SDG, therefore detection limits have not been evaluated.

MAJOR DEFICIENCIES

The following major deficiencies were identified during data validation which required qualification of data as unusable.

Holding Times

references

 The holding time until extraction was exceeded by greater than twice the allowable limit and associated non-detects have been qualified as unusable (UR). Attachments 2 and 5 provide a summary of the samples affected, qualification applied, and supporting documentation.

MINOR DEFICIENCIES

The following minor deficiencies were identified during data validation which required qualification of data.

· Holding Times

• The holding time until extraction was exceeded by greater than twice the allowable limit and associated detects have been qualified as estimated (J). Attachments 2 and 5 provide a summary of the samples affected, qualification applied, and supporting documentation.

<u>Surrogates</u>

 Surrogate compound recoveries for all samples were out of established control limits but above 10%. Attachments 2 and 5 provide a summary of the samples affected, qualification applied, and supporting documentation.

DATA REPORTING

Enclosed is a sample disposition record (See Attachment 4) which indicates the date of request for analysis of PCB's for the indicated samples. This information is not indicated on the Chain of Custody.

REFERENCES

WHC 1993, Data Validation Procedures for Chemical Analyses, WHC-SD-EN-SPP-002, Rev. 2, 1993. Westinghouse Hanford Company, Richland, Washington.

WHC 1994, Environmental and Waste Characterization Analytical Data Validation, Purchase Order MSH-SWV-315905; Validation Statement of Work, Revision 1.0, September 7, 1994; Westinghouse Hanford Company, Richland, Washington.

THIS PAGE INTENTIONALLY

THIS PAGE INTENTIONALLY LEFT BLANK

THE RESIDENCE OF THE STATE OF T

ATTACHMENT 1 GLOSSARY OF DATA REPORTING QUALIFIERS

GLOSSARY OF ORGANIC DATA REPORTING QUALIFIERS

- B Indicates the constituent was analyzed for and detected in the associated laboratory blank.

 This qualifier is applied by the laboratory. During the process of data validation this qualifier may be replaced by other appropriate qualifiers as defined by the validation procedures. The associated data should be considered usable for decision making purposes.
- U Indicates the constituent was analyzed for and not detected. The concentration reported is the sample quantitation limit corrected for aliquot size, dilution and percent solids (in the case of solid matrices) by the laboratory. The associated data should be considered usable for decision making purposes.
- UJ Indicates the constituent was analyzed for and not detected. Due to a minor quality control deficiency identified during data validation the concentration reported may not accurately reflect the sample quantitation limit. The associated data should be considered usable for decision making purposes.
- J Indicates the constituent was analyzed for and detected. This qualifier may be applied by the laboratory to indicate a concentration which is less than the contract required quantitation limit (CRQL) but greater than the instrument detection limit (IDL). During data validation this qualifier may be applied to indicate a minor quality control deficiency. However in either case, the associated data should be considered usable for decision making purposes.
- NI Indicates presumptive evidence of a constituent at an estimated value. This qualifier is normally applied to GC analysis data (such as organochlorine pesticide and PCB data). The associated data should be considered usable for decision making purposes.
- N.- Indicates presumptive evidence of a constituent. This qualifier is normally applied to GC analysis data (such as organochlorine pesticide and PCB data). The associated data should be considered usable for decision making purposes.
- JN Indicates a tentatively identified compound (TIC) whose concentration and identification have been determined to be valid as a result of data validation. The associated data should be considered usable for decision making purposes.
- UJN Indicates a tentatively identified compound (TIC) that has been determined to be presumptive and valid (JN) in terms of identification and quantitation and has been qualified as undetected (U) due to associated blank contamination.
- UR Indicates the constituent was analyzed for and not detected. The concentration reported has been qualified as unusable due to a major quality control deficiency identified during data validation. The associated data should be considered unusable for decision making purposes.
- R- Indicates the constituent was analyzed for and detected. The concentration reported has been qualified as unusable due to a major quality control deficiency identified during data validation. The associated data should be considered unusable for decision making purposes.

4 TRO 970724

ATTACHMENT 2 SUMMARY OF DATA QUALIFICATIONS

WHC-SD-EN-SPP-002, REV.2

DATA QUALIFICATION SUMMARY - FORM B-7

SDG: W01622-QES	REVIEWER: T. STAPP	DATE: 07-24-97	PAGE1OF1
COMMENTS: PESTICIDE/PCB			7
COMPOUND/ANALYTE	QUALIFIER	SAMPLES AFFECTED	REASON
AROCLOR 1016	JUR	ALL	HOLDING TIME EXCEEDED
AROCLOR 1221			EXCELDED
AROCLOR 1232		·	
AROCLOR 1242	}		
AROCLOR 1248			·
AROCLOR 1254		·	
AROCLOR 1260			
AROCLOR 1254	J	BOJHZ4 BOJHZ5 BOJHZ6	SURROGATE RECOVERY FOR DCB OR TCMX WAS OUT.
		BOJHZ7	OF LIMITS .

Revised 970805

ATTACHMENT 3 QUALIFIED DATA SUMMARY and ANNOTATED LABORATORY REPORTS

Validated Data Summary, Data Package: W01622-OES

alicated Data Summary, Data Fa	Sample #	BOJHZA .	B0JHZ5		B0JHZ6	- -	B0]HZ7		BOJHZ8	
	- 1			- [•	ſ	•	- (
	Date	4/24/97	4/2A/97	- 1	4/24/97	ľ	. 4/2A/97	ļ	4/24/97	
•	Location			1						
	Depth	•		}	•	1	•	ł		
	Туре	Soil	Soil		Soil	1	Soil	- 1	Soil	
	Comments			\cdot]						
Parameter	Units	Results Q	Results (Q	Results	Q	Results	Q	Results	Q
AROCLOR-1016	. UG/Kg	35,000 UR	37.000 U	R	36.000	UK	35.000	UR	36.000	
AROCLOR-1221	UG/Kg	35.000 UR	37.000 U	瓜	36,000	UR	35.000	UR	36.000	UR
AROCLOR-1232	UG/Kg	35.000 UR	37.000 U	瓜	36.000	UR	35.000	UR	36,000	UR
AROCLOR-1242	UG/Kg	35,000 UR	37.000 U	JR	36.000	UR	35.000	UR	36.000	UR
AROCLOR-1248	UG/Kg	35.000 UR	37,000 U	JR	36.000	UR	35.000	UR	36.000	UR
AROCLOR-1254	UG/Kg	88.000 J	15000,000	J	38.000	J	330.000	J	36,000	UF
AROCLOR-1260		35.000 UR	37.000 t	JR	36.000	UR	35.000	UR	36.000	U

The decimal places shown do not reflect the precision reported by the laboratory.

TMP8 970805

Revisor 0.8

PCB ORGANICS ANALYSIS DATA SHEET	EPA SAMPLE NO
Lab Name: OUANTERRA, MO Contract: 678-23	војни4
Lab Code: ITMO Case No.: SDG No.: SDG No.	
Matrix: (soil/water) SOIL Lab Sample ID:	14505-001
Sample wt/vol: 30.3 (g/ml) G Lab File ID:	
Level: (low/med) LOW Date Sampled:	04-24-97
* Moisture: not dec. 7 dec. Date Extracted:	06-10-97
Extraction: (SepF/Cont/Sonc) SONC Date Analyzed:	06-17-97
GPC Cleanup: (Y/N) N pH: Dilution Factor:	<u> </u>
CONCENTRATION UNITS: CAS NO. , Compound (ug/L or ug/Kg) UG/KG	<u> </u>
12674-11-2Aroclor-1016 35 11104-28-2Aroclor-1221 35 11141-16-5Aroclor-1232 35 53469-21-9Aroclor-1242 35 12672-29-6Aroclor-1248 35 11097-69-1Aroclor-1254 88 11096-82-5Aroclor-1260 35	WHO UR WHO UR WHO UR WHO UR WHO UR WHO UR

U: Concentration of analyte is less than the value given.

the second tentor (see for a second s

FORM I PEST

Revised 970805

09

PCB ORGA	ID NICS ANALYSTS D	ATA SHEET	EPA' SAMPLE	2 NO.
Lab Name: OUANTERRA, MO - Contract	·• ,		BOJHZS	
Lab Code: ITMO Case No.:	SAS No.:	SDG No.:	W01622A	
Matrix: (soil/water) SOIL	La	b Sample ID: _	14505-002	
Sample wt/vol: 30.1 (g/ml) G	_ La	b File ID:	·-	
Level: (low/med) LOW	Da	te Sampled: _	04-24-97	
* Moisture: not dec. 10 dec.	Da	te Extracted: _	06-10-97	
Extraction: (SepF/Cont/Sonc)SC	ONC Da	te Analyzed: _	06-17-97	
GPC Cleanup: (Y/N) N pH:	Di	lution Factor:	<u>1</u>	 .
CAS NO. Compound		TION UNITS: ug/kg) <u>UG/kG</u>	C	2
12674-11-2Aroclor-1016 11104-28-2Aroclor-1221 11141-16-5Aroclor-1232 53469-21-9Aroclor-1242 12672-29-6Aroclor-1248 11097-69-1Aroclor-1254 11096-82-5Aroclor-1260		37 37 37 37 37 37 15000		UR UR UR UR UR UR UR
***		37		W LE UR

U: Concentration of analyte is less than the value given.

FORM I PEST

ADS 970724
Revised TMS
970805

	1D PCB ORGANICS ANA	LYSIS DATA SHEET	era sample no.
Lab Name: OUANTERRA, MO		-23	BOJHZ6
Lab Code: ITMO Case No.	• • •	, • · · · · · · · · · · · · · · · · · ·	: W01622A
Matrix: (soil/water)	SOIL	Lab Sample ID:	14505-003
Sample wt/vol:	g/ml)	Lab File ID:	· · · · · · · · · · · · · · · · · · ·
Level: (low/med) LOW	•	Date Sampled:	04-24-97
* Moisture: not dec. 8	dec	Date Extracted:	06-10-97
Extraction: (SepF/Cont/So	one) SONC	Date Analyzed:	06-17-97
GPC Cleanup: (Y/N) N	pH:	Dilution Factor:	3
CAS NO. Compound	· · · · · · · · · · · · · · · · · · ·	NCENTRATION UNITS: g/L or ug/Kg) <u>UG/KG</u>	
12674-11-2Aroclor- 11104-28-2Aroclor-		36 36	
11141-16-5Aroclor-		36	
53469-21-9Aroclor-		35_	
1 12672-29-6Aroclor-	-1248	36	

U: Concentration of analyte is less than the value given.

none r noem

Revised 11188

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: OUANTERRA, MO Contract:	678-23	BOJHZ7
Lab Code: ITMO Case No.:	مينو شيد در جد ده . مداد د د	W01622A
Matrix: (soil/water) SOIL	Lab Sample ID: _	14505-004
Sample wt/vol: 30.3 (g/ml) G	Lab File ID:	=
Level: (low/med) LOW	Date Sampled:	04-24-97
% Moisture: not dec. 6 dec.	Date Extracted:	06-10-97
Extraction: (SepF/Cont/Sonc) SONC	Date Analyzed:	06-17-97
GPC Cleanup: (Y/N) N pH:	Dilution Factor:	
CAS NO. Compound	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	- 00
12674-11-2Aroclor-1016_	35	JUNE UR
11104-28-2Aroclor-1221 11141-16-5Aroclor-1232	35	UR UR
53469-21-9Aroclor-1242		- Luk
12672-29-6Aroclor-1248	35	× V NR
11097-69-1Aroclor-1254	330	
.: 11096-82-5Aroclor-1260	35	WE UR
· · · · · · · · · · · · · · · · · · ·		- -

U: Concentration of analyte is less than the value given.

existing of the control of the contr

FORM I PEST

Revised Two 970805

PCB ORGANICS ANALYSIS DATA SHEET

EFA	SAMPLE	NΩ
E- P-M		NO

Lab Name: OUANTERRA, MO Contract: 678-23	BOJHZ8
Lab Code: ITMO Case No.: SAS No.: SDG No.	: W01622A
Matrix: (soil/water) SOIL Lab Sample ID:	14505-005
Sample wt/vol: '30.0 (g/ml)G Lab File ID: .	
Level: (low/med) LOW Date Sampled:	04-24-97
* Moisture: not dec. 8 dec. Date Extracted:	06-10-97
Extraction: (SepF/Cont/Sonc) SONC Date Analyzed:	06-17-97
GPC Cleanup: (Y/N) N pH: Dilution Factor:	1
CONCENTRATION UNITS: CAS NO. Compound (ug/L or ug/Kg) UG/KG	- · · · · · · · · · · · · · · · · · · ·
12674-11-2Aroclor-1016 36 11104-28-2Aroclor-1221 36 11141-16-5Aroclor-1232 36 53469-21-9Aroclor-1242 36 12672-29-6Aroclor-1248 36 11097-69-1Aroclor-1254 36 11096-82-5Aroclor-1260 36	W UR

Ur . Concentration of analyte is less than the value given.

FORM I PEST

Revised The 970805 13

ATTACHMENT 4.

The state of the s

LABORATORY NARRATIVE and CHAIN-OF-CUSTODY DOCUMENTATION



RECORD COPY

Quanterra Incorporated 13715 Rider Trail North Earth City, Missouri 63045

314 298-8566 Telephone 314 298-8757 Fax

CERTIFICATE OF ANALYSIS

Rust Federal Services P.O. Box 1970 Richland, Washington 99352

June 27, 1997

Attention: Karl Pool

Project number : 678.23

Date Received by Lab : April 28; 1997

Number of Samples : Five (5)

Sample Type : (5) Soil SDG Number : W01622A

Data Deliverable : Standalone

I. Introduction

On April 28, 1997, a total of six (6) samples comprised of five (5) soil sample and (1) water sample were received by Quanterra, Richland and were transferred to Quanterra, St. Louis for chemical analyses. On June 4, 1997, additional analyses were requested for the soil samples in this SDG by Jodie Carnes. Upon receipt, the samples were given the following laboratory ID numbers to correspond with the specific client IDs:

St. Louis ID	RFS ID	Richland ID	Matrix	Date of Receipt
14505-001	B0JHZ4	70440801	Soil	28-APR-97
14505-002	BOJHZ5	70440802	Soil	28-APR-97
14505-003	BOJHZ6	70440803	Soil	28-APR-97
14505-004	BOJHZ7	70440804	Soil	28-APR-97
14505-005	BOJHZ8	70440805	Soil	28-APR-97.

II. Analytical Results/ Methodology

The analytical results for this report are presented by analytical test. Each set of data includes sample identification information, analytical results and the appropriate detection limits.

Additional Analyses requested: PCBs by EPA Method 8080.



Rust Federal Services June 27, 1997 Project Number: 678.23

SDG: W01622A

Page 2

RECORD COPY

III. Quality Control

A Laboratory Control Sample and Method Blank were analyzed with each preparation batch. A Matrix Spike and Matrix Spike Duplicate were performed per the protocol for this SDG.

IV. Definitions

The following codes were used to denote laboratory quality control samples and can be found in the data summary section of this report:

QCBLK- Quality Control Blank, Method Blank QCLCS- Quality Control Laboratory Control Sample, Blank Spike

V. Comments

Shipping and Receiving

There are no comments or nonconformances associated with the shipping and receiving of the sample.

PCBs

There are no comments or nonconformances associated with this analysis.

I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

Reviewed and approved:

Wade H. Price

Project Manager

e:\\price\$\innford\678.xx\rfs1622a.coa

TAS 970723

(56/L0) 005-1009-Y				.nt)	ilandu alle que numin see chese							'o i d
						the soul to the totals	3 Herr Lands	en tal te	154 pr 14 pr 44 pr		r leakth heagth	MOTH COREIN
	M11/2441		Yil leave-prin			1						· 🗭 🐈
		34th]\ak(1		til bariaaa.) ac	n'il\sh(i			~ <u> </u>		A Popularity
- Other	Х	T	· · · · · · · · · · · · · · · · · · ·	·		•				!		47.
ырыі – жымызуу н	0' = 04	ment l'and	<u> </u>		creived Uy	74	mi]/s/e(· · ·				YU bərlenyeşiə;
1	20 • 2017 L			وسار ،	CON 60 60 -00 -00	_						eligrium de Dy
zbiope l mugici -	5E * Sediment IA.	344C/LHHC		V-1977	Colly Villering		35 /r	7	Berg	8	1. 25/17	HJX
shikeZ murki	*xintelA act inca = a	2(2) anstruction (2)	, ,		infi Yilbinissa (,) A (,	1	miljah(i	•	0 00	!S	بر	l (il basicupini)
	1 21	AA AII	ጎለግ!!		`	ppn10) <u>(1)</u>	2/1				
	VO	UU UÜ!	HEUL			CC11(/\'\'I -	$\neg y_{\mathbb{C}}$	15		. ***	aw arronal lin ielj
	lold Time	1 .	INCLIONS	SPECTAL INSTR	M wh	,ca □	SUSIN		s:	NIYIY		OSSIDLE SARIPL.
tonti					1CL 5144h (6010A), 1 uh	300 L	(1).	085	16/1-7/1+	W		EZITION .
unuN					inang de. () nest yarita.	30 b	(1)	780	Larur	W		67,110वा -
Cool to 4°C		50 1	2007.		ICE MEIN (6010A), Littin	320 h	(1)	ONO	LWIT	8	•	*Nitori
Home					disarie da. I) made ylivida.	30 B	a) a	0440	LGIFTIF	s		*Zitfott
Owl to I low O		70	760			250 P	(h)	0840	Lanth	2		LZHron
સામ્					1Cb Y(****** (*010Y)* itPi	- 20 P	(1)	01.50	LGHZH	S		£211f0f1
O't of load		50	2001		Activity Some (I als Specific	. d 052	(n)	0130	LGITUT	5		97.11(01)
MreM		- '7	78001		Metivary Sease (1 ab Specials (CP Metab (Gallon), 1 julii	.1 oz	-(1)	0110	LGITZIT	2		97,111,001
One of load .		20	7,001		ICE Pirtup (cotoy) I alm	320 Is	(1)	0210	LGATA	5		\$211001
Short					Yenaul Zeni (I'up Zbeche	30 h	(1)	0260	LGITTIT	S		SZITOU
Coal to 4°C		1080hh0	100% 1		Har Lietals (6010A), Inhh	330 P	(1)	9119	L6/77/7	8		FXIItott
None		-1			Mining & da. I) mand YhvidaA	30 J	(1)	0440	LGITUT	S		+7.11ro(1
l'erservalive					sjeCjnuý sjámes	he Contagnet.	אייענ).	-200 <u>1</u>	9)z(l	*	(।। नामा	Sample No.
	b/N	fishe Property Na.	N N		SAVOST puna	imiiu'l' alati						Harri RCRA
	A/V	f Hitl alflyniba. I de Hi	1/4	120114626	(NVI)	Nethod of S		<u></u>			Quanterra	(dic.l.) o'l hogy
***	-100.15/25 -7		·· [14:	7WS-WM	H Mondga,i			d:	5.1. 1111	8-Ę,∧lkali Mc	
1	s Code	gradDiratro sectore	~ 	VЭ	24 00E 11	giaO alquasi		•				AF Mumber R
	NISIN NS-27 NAX	F 1668-9 Tr. 17				Contactifical				·	SE' KYKL	
7 30	nā*d								~~			
37-1	C()-7(9)1	TEQUEST	YLYSIS B	APLE AN	TODY/SAN	OF CUS) NI	VII) .			oA teuA M eosivioS
<u> </u>							•					

Control #: SDR97-039 Sample Disposition Record Revision#: Date Initiated: 6/3/97 Section 1 - BACKGROUND SAF#: R97-032 OU: N/A Project ID: TSD Task ID: Sampling Event: 300 Area 3718-F TSD closure Laboratory: Quanterra Project Coordinator: Steele, SM Task Manager: Sonnichsen, JC Section 2 - SAMPLE INFORMATION Number of Samples: 5 1D Numbers: BOJHZ4, BOJHZ5, BOJHZ6, BOJHZ7, BOJHZ8 MATRIX: Soil Collection Date: 04/24/97 Section 3 - ISSUE Class: Lab Direction NCR Number: N/A Type: Other-Additional Analytical Scope Description: Customer would like to analyze the soil samples in SDG W01622 for PCB's. N/A NCR Validation (Print/Sign) ≡ ⊯ Date Section 4 - DISPOSITION Type: Use As Is Description: Quanterra will analyze the soil samples for PCB's only, by method 8080. The analysis is to be done on a "Priority turnaround" of 15 days starting 6/4/97. The analysis results will be reported in SDG W01622A. Steele, SM Project Coordinator (Print/Sign) Sonnichson, Je L. L. Penn Tusk Manager (Print/Sign) N/A QA (Print/Sign) Section 5-INSPECTION (Issue Class: Nonconformance Only) Inspection Number: N/A Inspection Results: N/A N/A Inspector (Print/Sign)

and the lateral desiration of the second

Sample Disposition Record

Control #:

SDR97-036

Revision#:

Date Initiated:

4/30/97

Section 1 - BACKGROUND

SAF#: R97-032

OU: N/A

Project ID: TSD

Task ID:

Sampling Event: 300 Area 3718-FTSD closure

Laboratory: Quanterra Project Coordinator: Steele, SM Task Manager: Sonnichsen, JC

Section 2 - SAMPLE INFORMATION

Number of Samples: 6

ID Numbers: BOJHZ4, BOJHZ5, BOJHZ6, BOJHZ7, BOJHZ8, BOJHZ9

MATRIX: Soil

Collection Date: 04/24/97

Section 3 - ISSUE

Class: Lab Direction

NCR Number: N/A

Type: Ciarification of Direction

Description: Water and soil samples were received under the same COC. The lab would like to create two SDGs.

N/A

NCR Validation (Print/Sign)

Date

Section 4 - DISPOSITION

Type: Use As Is

Description:

The water sample should be analyzed with the soils in the same SDG. The water sample should be reported with water units. Also note in case narative for SDG W01622.

Steele, SM

Project Coordinator (Print/Sign)

Sannichson, JC Lucinder Per

Task Manager (Print/Sign)

N/A .

QA (Print/Sign)

Section 5-INSPECTION (Issue Class: Nonconformance Only)

Inspection Number:

N/A

Inspection Results:

N/A

Inspector (Print/Sign)

Sample Disposition Record

Control #:

SDR97-036.

Revision#:

0

Date Initiated:

4/30/97

Section 1- BACKGROUND

SAF#: R97-032

OU: N/A

Project ID: TSD

Task ID:

Sampling Event: 300 Area 3718-F TSD closure

Laboratory: Quanterra

Project Coordinator: Steele, SM

Task Manager: Sonnichsen, JC

Section 2 - SAMPLE INFORMATION .

Number of Samples: 6

ID Numbers: BOJHZ4, BOJHZ5, BOJHZ6, BOJHZ7, BOJHZ8, BOJHZ9

MATRIX: Soil

Collection Date: 04/24/97

Section 3 - ISSUE

Class: Lab Direction

NCR Number:

Type: Clarification of Direction

Description: Water and soil samples were received under the same COC. The lab would like to create two SDGs.

N/A

NCR Validation (Print/Sign)

T Date

Section 4 - DISPOSITION

Type: Use As Is

Description: The water sample should be analyzed with the soils in the same SDG. The water sample should be reported

with water units. Also note in case narative for SDG W01622.

Steele, SM

Sanichen, JC Lucinda Pen

Project Coordinator (Print/Sign)

Task Manager (Print/Sign)

N/A

QA (Print/Sign)

Section 5-INSPECTION (Issue Class: Nonconformance Only)

Inspection Number:

N/A

. Inspection Results:

Inspector (PrinuSign)

ATTACHMENT 5

かけまるとのです。 かずけ

DATA VALIDATION SUPPORTING DOCUMENTATION

PESTICIDE/PCB DATA VALIDATION CHECKLIST ·

A STEP OF A STEP OF THE STEP O

and a filter than the state of the state of

	<u> </u>				· · · · · · · · · · · · · · · · · · ·
VALIDATION LEVEL:	Α.	В	С	(D)	E
PROJECT: 37	18-F Alkali	MetalsTSD	DATA PACKAGE	: 943-16	10.171
VALIDATOR: -		LAB: QUA			Y 23 '97
CASE:				31622-Q	
فالتخير الجوالي الأبين بيني		ANALYSES	PERFORMED		
[] CLP3/90	X SW-848 8080	☐ SW-846 8081	D	· ·	0
SAMPLES/MATR	IX BOTH	74 ROT	THZ5. BO:	THEL R	ロイリスタ
BOTH.		301L	the say have		_
<u>. 13(21 F)</u>	50/	3/11-			·
		· · · · · · · · · · · · · · · · · · ·			 _
	<u> </u>		· · · · · · · · · · · · · · · · · · ·		
		 			
					į.
nments:					<u> </u>
			<u> </u>		·
	•				
	· .	· · · · · · · · · · · · · · · · · · ·			
. HOLDING T					TO TO
	lding times a			بي پيرون د د د د د د د د د د د د د د د د د د د	ES NO N/A
A	olding t			tion has	
5x0660060		opter th	-	e the a	110maple
mit of	14 days		are qua		estimate
md non	-detect	tare rel	ected Yul	₹)	
· • · · · · · · · · · · · · · · · · · ·	<u> </u>				<u> </u>
•	r PERFORMANCE	•			
•	NT PERFORMANCE	808 DOHTEM)	0 AND 8081)		
e DDT retent					•
	tion times acc				
	on standard re	tention time	s acceptable?	· · · · · · · · · · · · · · · · · · ·	es No N/A
		tention time			es No N/A
	on standard re	etention time ons acceptable	e?	· · · · · · · · · · · · · · · · · · ·	es No N//
	on standard re	tention time	e?	· · · · · · · · · · · · · · · · · · ·	es No N//

the state of the particular and an

Āra	DBC retention times acceptable? Yes	No (N/A)
	the GC/MS tuning/performance check acceptable? Yes	No N/A
And the	ments:	,
		· .
-1.		• •
: 1 :-		¥
3.2	CALIBRATIONS (METHOD 8080 AND 8081)	
Are	EVAL standard calibration factors and %RSD values acceptable?	No N/A
Are	quantitation column calibration factor %RSD values acceptable? Yes	No N/A
	e the analytical sequence requirements met? Yes	No N/A
Are	continuing calibration %D values acceptable? NOTE() Yes	No N/A
Com	nents: (1) ENDING Calibration SDifference values excep	3607.12.8
ho	wever only the continuing Calibration will be cons	idered
as	associated with sample's from this SDG and	the
70	IAL 50 Differences are acceptable. No qualification	2 allies
3.3	INSTRUMENT PERFORMANCE AND INITIAL CALIBRATION (3/90 SOW)	-=
	the initial calibration sequence performed? Yes	No N/A
	the resolution acceptable in the resolution check mix? Yes	No N/A
•	resolution acceptable in the PEH, INDA and INDB? Yes	No (N/A)
	DDT and Endrin breakdowns acceptable? Yes	No N/A
•.	retention times in PEMs and calibration mixes acceptable? . Yes	No (N/A)
	RPD values in the PEMs acceptable? Yes	No N/A
• • • •	%RSD values acceptable? Yes	No (N/A
• •	ments:	
e de la companya de l		
gang Sangar		
3.4	CALIBRATION VERIFICATION (3/90 SOW)	
Were	the analytical sequence requirements met? Yes	No N/A
	resolution acceptable in the PEMs? Yes	No N/A
	initial calibrations acceptable? Yes	No N/A

PESTICIDE/PCB DATA VALIDATION CHECKLIST Are retention times acceptable in the PEMs. INDA and INDB mixes? No No Are RPD values in the PEMs acceptable? Are the DDT and endrin breakdowns acceptable? N/A No Is the GPC calibration check acceptable? NTA Is the Florisil performance check acceptable? Yes Comments: 4. BLANKS Yes Were laboratory blanks analyzed? No N/A Are laboratory blank results acceptable? N/A No . Were field/trip blanks analyzed? Are field/trip blank results acceptable? No (comments: 1 Field QC has not this 50G and has not been evaluated. 5. ACCURACY Are surrogate recoveries acceptable? NOTEO. . . . Were MS/MSD samples analyzed? (Yes) Are MS/MSD results acceptable? Were LCS samples analyzed? . . . NQTE. ②. Are: LCS results acceptable? comments: 1 Surrogaterecoveries are unacceptable for all analyses. See surrogate recovery Simmary page. results are qualified as estimated (Tlux Not required when valid ms/msd is present.

PESTICIDE/PCB DATA VALIDATION CHECKLIST

6. PRECISION	•		
Are MS/MSD RPD values acc	eptable?	(Yes) No	N/A
Are laboratory duplicate	results acceptable?	Yes No	N/A
Are field duplicate RPD v	alues acceptable? . NOT	巨.①...Yes No	(N/A)
Are field split RPD value	s acceptable?	Yes No	N/A)
	2C has not been	identified in	This
	not been evaluate	•	
			
7. SYSTEM PERFORMANCE			
Is chromatographic perfor	mance acceptable?	Yes No	N/A
Are positive results reso	lved acceptably?	FYes No	N/A
Comments:	· · ·		
		÷	<u>-</u>
		4	-
·			·
· · · · · · · · · · · · · · · · · · ·	,		
B. COMPOUND IDENTIFICATI			-
Is compound identificatio	n acceptable? NOTE	(Yes) No	N/A
Is compound quantitation		Yes No	N/A
	med by pattern y	recognition a	nd
Comparison to S	tandards.	J	
		,	
145,			
REPORTED RESULTS AND	QUANTITATION LIMITS		•
re results reported for	all requested analyses?	(Yes) No	N/A
re all results supported	•	Yes No	
Oo results meet the CRQLs	and the same of the	Yes No	
<u>~</u>			this
S00 00-11 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	He poor am?	ours 1
		ach simple ho	7.110 q
	ation limits for e	ach sample no	aue "
peen continued.		<u> </u>	
	· ·		 ,
		fee .	

or over the substitution of the substitution o

2F SOIL PCB SURROGATE RECOVERY

Lab Name: OUANTERRA, MO	Contract: 678-23
Lab Code: ITMO Case No.:	SAS No.: SDG No.:_W01622A

Level: (low/med) LOW

	•	•	-
<u>. + .:</u>	EPA.	Sl	S2
77 · -	SAMPLE NO.	(DCB)#	(TCMX)#
		× =====	
01	PBLK01	79	(55 ×)
02	PSPK01	86	66
03	BOJHZ4	131	54 *
04	BOJHZ4MS	1115	93
05	BOJHZ4MSD	82	66
06	BOJHZ5	249	83
07	BOJHZ6	68	40 *
08	ВОЈН27	80	(53 +
09	BOJHZ8	58_	(41_*)
			ADVISORY
•	: .		ADVIS

S1 (DCB) * Decachlorobiphenyl (48-210)
S2 (TCMX) * Tetrachlorom-m-xylene (61-153)

- # Column to be used to flag recovery values
- * Values outside of QC limits
- D Surrogates diluted out

page 1 of 1

FORM II PEST-2

1/87 Rev.

Associated Samples for those values - Circled above are qualified as estimated for all analytes reported. (7/UT)

TNS 970723

HOLDING TIME SUMMARY

SDG: W016	22-QES	VALIDATOR:	T. 8T.	4/30	DATE: 8-05-97	PAG	E 1 OF 1
COMMENTS:							
FIELD SAMPLE	TYPE	DATE SAMPLED	DATE PREPARED	DATE ANALYZED	PREP. HOLDING TIME, DAYS	ANALYSIS HOLDING TIME, DAYS	QUALIFIER
BOJHZY	PCB	4-24-97	6-10-97	6-17-97	47	7	J/UR
HZ5					avideor - ****)
HZG					The second secon		\\
HZ7			<u></u>	<u> </u>			(
V H Z 8	<u> </u>	· V		₩	Y	V	
	i)	·	CHON LA		
		<u>.</u>			,		
					the second secon		
					des.		
		. `		·		·	
	•						
·			·			·	
			·			·	-

Revised Th

THIS PAGE INTENTIONALLY LEFT BLANK

DISTRIBUTION

Number of copies

<u>OFFSITE</u>		•	
2	Rust Federal Services, Inc. J. K. Bartz J. J. Wallace	B5-18 B5-18	
ONSITE 2	U. S. Department of Energy Richland Operations Office	AT BIHT	
	Richland Operations Öffice D. H. Chapin E. M. Mattlin	R3-79 A5-15	
3	B&W Hanford Company T. A. Dillhoff K. A. Hadley C. D. Sorensen	N2-57 R3-56 R3-56	
	Fluor Daniel Hanford. Inc. C. G. Mattsson F. A. Ruck III	N1-26 H6-22	
2	<u>Lockheed Martin Services. Inc.</u> Central Files Document Processing Center	A3-88 A3-94	

Waste Management Federal Services of Hanford, Inc.
R. H. Engelmann H6-26
J. C. Sonnichsen E6-06

PHARMAG

THIS PAGE INTENTIONALLY LEFT BLANK